

SEQ ID NO:1

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:21 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:bacteriophage lambda gt11

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d19

FEATURES:

from 1 to 21 bases homologous to upstream portion of lacZ gene
flanking the EcoR1 site in bacteriophage lambda gt11

PROPERTIES:primes DNA synthesis from the phage vector into cDNA
inserted at the EcoR1 site.

GGTGGCGACG ACTCCTGGAG C

21

SEQ ID NO:2

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:21 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:bacteriophage lambda gt11

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d20

FEATURES:

from 1 to 21 bases homologous to downstream portion of lacZ gene
flanking the EcoR1 site in bacteriophage lambda gt11

PROPERTIES:primes DNA synthesis from the phage vector into cDNA
inserted at the EcoR1 site.

TTGACACCAG ACCAACTGGT A

21

SEQUENCE TYPE:Nucleotide with corresponding protein
SEQUENCE LENGTH:1770 BASE PAIRS

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis
IMMEDIATE EXPERIMENTAL SOURCE:clone JG2 from cDNA library in lambda
gt11

from 1 to 1770 bp portion of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral non-structural proteins

CGG GAA GTG TCC GTC CCG GCG GAG ATC CTG CGG AAA TCC AAG AAA TTC 192
Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg Lys Ser Lys Lys Phe
50 55 60

MJS/AC/12th December 1990

GAG GAG GCC GGT GAG GAC GTC GTC TGC TGC TCG ATG TCC TAC ACA TGG 624
Glu Glu Ala Gly Glu Asp Val Val Cys Cys Ser Met Ser Tyr Thr Trp
195 200 205

ACA GGC GCT CTG ATC ACG CCA TGC GCT GCG GAG GAA AGC AAG CTG CCC 672
 Thr Gly Ala Leu Ile Thr Pro Cys Ala Ala Glu Glu Ser Lys Leu Pro
 210 215 220

ATC AAC GCG TTG AGC AAC TCT TTG CTG CGT CAC CAC AAC ATG GTC TAC 720
 Ile Asn Ala Leu Ser Asn Ser Leu Leu Arg His His Asn Met Val Tyr
 225 230 235 240

GCT ACC ACA TCC CGC AGC GCA AGC CAG CGG CAG AAG AAG GTC ACC TTT 768
 Ala Thr Thr Ser Arg Ser Ala Ser Gln Arg Gln Lys Lys Val Thr Phe
 245 250 255

GAC AGA CTG CAA ATC CTG GAC GAT CAC TAC CAG GAC GTG CTC AAG GAG 816
 Asp Arg Leu Gln Ile Leu Asp Asp His Tyr Gln Asp Val Leu Lys Glu
 260 265 270

ATG AAG GCG AAG GCG TCC ACA GTT AAG GCT AAG CTT CTA TCA GTA GAG 864
 Met Lys Ala Lys Ala Ser Thr Val Lys Ala Lys Leu Leu Ser Val Glu
 275 280 285

GAA GCC TGC AAG CTG ACG CCC CCA CAT TCG GCC AAA TCT AAA TTT GGC 912
 Glu Ala Cys Lys Leu Thr Pro Pro His Ser Ala Lys Ser Lys Phe Gly
 290 295 300

TAT GGG GCA AAG GAC GTC CGG AAC CTA TCC AGC AAG GCC ATT AAC CAC 960
 Tyr Gly Ala Lys Asp Val Arg Asn Leu Ser Ser Lys Ala Ile Asn His
 305 310 315 320

ATC CGC TCC GTG TGG GAG GAC TTG TTG GAA GAC ACT GAA ACA CCA ATT 1008
 Ile Arg Ser Val Trp Glu Asp Leu Leu Glu Asp Thr Glu Thr Pro Ile
 325 330 335

GAC ACC ACC ATC ATG GCA AAA AAT GAG GTT TTC TGC GTC CAA CCA GAG 1056
 Asp Thr Thr Ile Met Ala Lys Asn Glu Val Phe Cys Val Gln Pro Glu
 340 345 350

AGA GGA GGC CGC AAG CCA GCT CGC CTT ATC GTG TTC CCA GAC TTG GGG 1104
Arg Gly Gly Arg Lys Pro Ala Arg Leu Ile Val Phe Pro Asp Leu Gly
355 360 365

GTC CGT GTG TGC GAG AAA ATG GCC CTC TAT GAC GTG GTC TCC ACC CTC 1152
Val Arg Val Cys Glu Lys Met Ala Leu Tyr Asp Val Val Ser Thr Leu
370 375 380

CCT CAG GCT GTG ATG GGC TCC TCG TAC GGA TTC CAG TAT TCT CCT GGA 1200
Pro Gln Ala Val Met Gly Ser Ser Tyr Gly Phe Gln Tyr Ser Pro Gly
385 390 395 400

CAG CGG GTC GAG TTC CTG GTG AAC GCC TGG AAA TCA AAG AAG ACC CCT 1248
Gln Arg Val Glu Phe Leu Val Asn Ala Trp Lys Ser Lys Lys Thr Pro
405 410 415

ATG GGC TTT GCA TAT GAC ACC CGC TGT TTT GAC TCA ACA GTC ACT GAG 1296
Met Gly Phe Ala Tyr Asp Thr Arg Cys Phe Asp Ser Thr Val Thr Glu
420 425 430

AAT GAC ATC CGT GTA GAG GAG TCA ATT TAT CAA TGT TGT GAC TTG GCC 1344
Asn Asp Ile Arg Val Glu Glu Ser Ile Tyr Gln Cys Cys Asp Leu Ala
435 440 445

CCC GAA GCC AGA CAG GCC ATA AGG TCG CTC ACA GAG CGG CTT TAT ATC 1392
Pro Glu Ala Arg Gln Ala Ile Arg Ser Leu Thr Glu Arg Leu Tyr Ile
450 455 460

GGG GGT CCC CTG ACT AAT TCA AAA GGG CAG AAC TGC GGC TAT CGC CGG 1440
Gly Gly Pro Leu Thr Asn Ser Lys Gly Gln Asn Cys Gly Tyr Arg Arg
465 470 475 480

TGC CGC GCG AGC GGC GTG CTG ACG ACT AGC TGC GGT AAT ACC CTC ACA 1488
Cys Arg Ala Ser Gly Val Leu Thr Thr Ser Cys Gly Asn Thr Leu Thr
485 490 495

000460" 03043560

GAT GCA TCT GGC AAA AGG GTA TAC TAC CTC ACC CGT GAC CCG 1770
Asp Ala Ser Gly Lys Arg Val Tyr Tyr Leu Thr Arg Asp Pro
580 585 590

SEQ ID NO:4

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:1035 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:clone JG3 from cDNA library in lambda
gt11

FEATURES:

from 1 to 1035 bp portion of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral non-structural proteins

ACA GAA GTG GAT GGG GTG CGG CTG CAC AGG TAC GCT CCG GCG TGC AAA	48
Thr Glu Val Asp Gly Val Arg Leu His Arg Tyr Ala Pro Ala Cys Lys	
5 10 15	

CCT CTC CTA CGG GAG GAG GTC ACA TTC CAG GTC GGG CTC AAC CAA TAC	96
Pro Leu Leu Arg Glu Glu Val Thr Phe Gln Val Gly Leu Asn Gln Tyr	
20 25 30	

CTG GTT GGG TCG CAG CTC CCA TGC GAG CCC GAA CCG GAT GTA GCA GTG	144
Leu Val Gly Ser Gln Leu Pro Cys Glu Pro Glu Pro Asp Val Ala Val	
35 40 45	

CTC ACT TCC ATG CTC ACC GAC CCC TCC CAC ATC ACA GCA GAG ACG GCT	192
Leu Thr Ser Met Leu Thr Asp Pro Ser His Ile Thr Ala Glu Thr Ala	
50 55 60	

CCA CTG CCA CCT ACT AAG ACC CCT CCT ATA CCA CCT CCA CGG AGA AAG 624
Pro Leu Pro Pro Thr Lys Thr Pro Pro Ile Pro Pro Pro Arg Arg Lys
195 200 205

ACC ACA TCC CGC AGC GCA AGC CAG CGG 1035
Thr Thr Ser Arg Ser Ala Ser Gln Arg
340 345

THE EFFECT OF THE 1997-98 EL NINO ON THE RAINFALL AND TEMPERATURE IN THE NORTHWESTERN TROPICAL FOREST OF COLOMBIA

SEQ ID NO:5

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:834 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:clone BR11 from cDNA library in lambda
gt11

FEATURES:

from 1 to 834 bp portion of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral structural proteins

AGA AAA ACC AAA CGT AAC ACC AAC CTC CGC CCA CAG GAC GTC AGG TTC	48
Arg Lys Thr Lys Arg Asn Thr Asn Leu Arg Pro Gln Asp Val Arg Phe	
5 10 15	

CCG GGC GGT GGT CAG ATC GTT GGT GGA GTT TAC CTG TTG CCG CGC AGG	96
Pro Gly Gly Gly Gln Ile Val Gly Gly Val Tyr Leu Leu Pro Arg Arg	
20 25 30	

GGC CCC AGG TTG GGT GTG CGC GCG ACT AGG AAG ACT TCC GAG CGG TCG	144
Gly Pro Arg Leu Gly Val Arg Ala Thr Arg Lys Thr Ser Glu Arg Ser	
35 40 45	

CAA CCT CGT GGA AGG CGA CAA CCT ATC CCC AAG GCT CGC CAG CCC GAG	192
Gln Pro Arg Gly Arg Arg Gln Pro Ile Pro Lys Ala Arg Gln Pro Glu	
50 55 60	

Figure 1. The \mathcal{H}_1 and \mathcal{H}_2 spaces. \mathcal{H}_1 is the space of functions u such that $u|_{\partial\Omega} = 0$ and $u|_{\Omega} \in H^1_0(\Omega)$. \mathcal{H}_2 is the space of functions u such that $u|_{\partial\Omega} \in H^1_0(\partial\Omega)$ and $u|_{\Omega} \in H^1(\Omega)$.

GCG GAC ATG ATC ATG CAC ACC CCC GGG TGT GTG CCC TGT GTC CGG GAG	672
Ala Asp Met Ile Met His Thr Pro Gly Cys Val Pro Cys Val Arg Glu	
210 215 220	
GGT AAT TCC TCC CGC TGC TGG GTA GCG CTC ACT CCC ACG CTC GCG GCC	720
Gly Asn Ser Ser Arg Cys Trp Val Ala Leu Thr Pro Thr Leu Ala Ala	
225 230 235 240	
AAG GAC GCC AGC ATC CCC ACT GCG ACA ATA CGA CGC CAC GTC GAT TTG	768
Lys Asp Ala Ser Ile Pro Thr Ala Thr Ile Arg Arg His Val Asp Leu	
245 250 255	
CTC GTT GGG GCG GCT GCC TTC TCG TCC GCT ATG TAC GTG GGG GAT CTC	816
Leu Val Gly Ala Ala Ala Phe Ser Ser Ala Met Tyr Val Gly Asp Leu	
260 265 270	
TGC GGA TCT GTT TTC CCG	834
Cys Gly Ser Val Phe Pro	
275	

SEQ ID NO:6

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:31 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:bacteriophage lambda gt11

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d75

FEATURES:

from 4 to 9 bases BamH1 site

from 10 to 31 bases homologous to upstream portion of lacZ gene
flanking the EcoR1 site in bacteriophage lambda gt11

from 26 to 31 bases EcoR1 site

PROPERTIES:primes DNA synthesis from the phage vector into cDNA
inserted at the EcoR1 site and introduces a BamH1 site suitable for
subsequent cloning into expression vectors.

TAAGGATCCC CCGTCAGTAT CGGCGGAATT C

31

SEQ ID NO:7

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:30 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:bacteriophage lambda gt11

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d76

FEATURES:

from 4 to 9 bases BamH1 site

from 10 to 30 bases homologous to downstream portion of lacZ gene
flanking the EcoR1 site in bacteriophage lambda gt11

PROPERTIES:primes DNA synthesis from the phage vector into cDNA
inserted at the EcoR1 site and introduces a BamH1 site suitable for
subsequent cloning into expression vectors.

TATGGATCCG TAGCGACCGG CGCTCAGCTG

30

SEQ ID NO:8

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:19 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d94

FEATURES:

from 1 to 19 bases homologous to bases 914 to 932 of the sense strand
of JG2 (SEQ ID NO : 3)

PROPERTIES:primes DNA synthesis on the negative strand of PT-NANBH
genomic RNA/DNA.

ATGGGGCAAA GGACGTCCG

19

SEQ ID NO:9

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:24 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d95

FEATURES:

from 1 to 24 bases homologous to bases 1620 to 1643 of the anti-sense
strand of JG2 (SEQ ID NO : 3)

PROPERTIES:primes DNA synthesis on the positive strand of PT-NANBH
genomic RNA/DNA.

TACCTAGTCA TAGCCTCCGT GAAG

24

SEQ ID NO:10

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:17 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo N1

FEATURES:

from 1 to 17 bases homologous to bases 1033 to 1049 of the sense
strand of JG2 (SEQ ID NO : 3)

PROPERTIES:primes DNA synthesis on the negative strand of PT-NANBH
genomic RNA/DNA.

GAGGTTTTCT GCGTCCA

17

SEQ ID NO:11

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:17 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo N2

FEATURES:

from 1 to 17 bases homologous to bases 1421 to 1437 of the anti-sense
strand of JG2 (SEQ ID NO : 3)

PROPERTIES:primes DNA synthesis on the positive strand of PT-NANBH
genomic RNA/DNA.

GCGATAGCCG CAGTTCT

17

SEQ ID NO:12

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:22 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo dl64

FEATURES:

from 1 to 22 bases homologous to bases 10 to 31 of the sequence in Fig
2 of Okamoto et al, Japan. J. Exp. Med., 1990, 60 167-177, base 22
changed from A to T to introduce Bgl2 recognition site
from 8 to 13 bases Bgl2 recognition site

PROPERTIES:primes DNA synthesis on the negative strand of PT-NANBH
genomic RNA/DNA and introduces a Bgl2 site.

CCACCATAGA TCTCTCCCCT GT

22

SEQ ID NO:13

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:30 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d137

FEATURES:

from 1 to 30 bases homologous to bases 154 to 183 of the negative
strand of BR11 (SEQ ID NO : 5); bases 174, 177 and 178 modified to
introduce an EcoR1 recognition site
from 5 to 10 bases EcoR1 recognition site

PROPERTIES:primes DNA synthesis on the positive strand of PT-NANBH
genomic RNA/DNA and introduces an EcoR1 site for cloning

GCGAGAATTC GGGATAGGTT GTCGCCTTCC

30

SEQ ID NO:14
SEQUENCE TYPE:Nucleotide
SEQUENCE LENGTH:27 BASES

STRANDEDNESS:single
TOPOLOGY:linear
MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis
IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d136

FEATURES:

from 1 to 27 bases homologous to bases 672 to 698 of the positive
strand of BR11 (SEQ ID NO : 5); base 675 changed to G to introduce an
EcoR1 recognition site
from 4 to 9 bases EcoR1 recognition site

PROPERTIES:primes DNA synthesis on the negative strand of PT-NANBH
genomic RNA/DNA and introduces an EcoR1 site for cloning

GGGGAATTCC TCCCGCTGCT GGGTAGC

27

SEQ ID NO:15

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:28 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:chimpanzee; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo dl55

FEATURES:

from 1 to 28 bases homologous to bases 462 to 489 of the negative
strand of figure 47, European Patent Application 88310922.5; bases 483
and 485 changed to introduce an EcoR1 recognition site
from 5 to 10 bases EcoR1 recognition site

PROPERTIES:primes DNA synthesis on the positive strand of PT-NANBH
genomic RNA/DNA and introduces an EcoR1 site for cloning

ACGGAATTC GACCAGGCAC CTGGGTGT

28

SEQ ID NO:16

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:23 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:chimpanzee; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d156

FEATURES:

from 1 to 23 bases homologous to bases 3315 to 3337 of the positive
strand of figure 47, European Patent Application 88310922.5; base 3323
changed to C to introduce an EcoR1 recognition site
from 4 to 9 bases EcoR1 recognition site

PROPERTIES:primes DNA synthesis on the negative strand of PT-NANBH
genomic RNA/DNA and introduces an EcoR1 site for cloning

CTTGAATTCT GGGAGGGCGT CTT

23

SEQ ID NO:17

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:29 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:oligonucleotide synthesiser; oligo d92

FEATURES:

from 1 to 29 bases homologous to bases 36 to 64 of the negative strand
of JG2 (SEQ ID NO : 3); bases 57, 58 and 60 changed to introduce an
EcoR1 recognition site

from 5 to 10 bases EcoR1 recognition site

PROPERTIES:primes DNA synthesis on the positive strand of PT-NANBH
genomic RNA/DNA and introduces an EcoR1 site for cloning

CGCCGAATTC ATGCCGCCAC AGGAGGTTG

29

SEQ ID NO:18

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:504 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis
IMMEDIATE EXPERIMENTAL SOURCE:clone 164/137

FEATURES:

from 308 to 504 bp start of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral structural proteins

GATCACTCCC CTGTGAGGAA CTACTGTCTT CACGCAGAAA GCGTCTAGCC ATGGCGTTAG 60
TATGAGTGTC GTGCAGCCTC CAGGACCCCC CCTCCCGGGA GAGCCATAGT GGTCTGCGGA 120
ACCGGTGAGT ACACCGGAAT TGCCAGGACG ACCGGGTCCT TTCTTGGATT AACCCGCTCA 180
ATGCCTGGAG ATTTGGGCGT GCGCCCGCAA GACTGCTAGC CGAGTAGTGT TGGGTCGCGA 240
AAGGCCTTGT GGTACTGCCT GATAGGGTGC TTGCGAGTGC CCCGGGAGGT CTCGTAGACC 300
GTGCACC ATG AGC ACG AAT CCT AAA CCT CAA AGA AAA ACC AAA CGT AAC 349
Met Ser Thr Asn Pro Lys Pro Gln Arg Lys Thr Lys Arg Asn
5 10

ACC AAC CGC CGC CCA CAG GAC GTC AAG TTC CCG GGC GGT GGT CAG ATC 397
Thr Asn Pro Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gly Gln Ile
15 20 25 30

GTT GGT GGA GTT TAC CTG TTG CCG CGC AGG GGC CCC AGG TTG GGT GTG 445
Val Gly Gly Val Tyr Leu Leu Pro Arg Arg Gly Pro Arg Leu Gly Val
35 40 45

CAA CCT ATC CC 504
Gln Pro Ile Pro
65

SECRET

SEQ ID NO:19

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:1107 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:clone 136/155

FEATURES:

from 1 to 1107 bp portion of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral structural proteins

TCC TCC CGC TGC TGG GTA GCG CTC ACT CCC ACG CTC GCG GCC AAG GAC	48
Ser Ser Arg Cys Trp Val Ala Leu Thr Pro Thr Leu Ala Ala Lys Asp	
5 10 15	

GCC AGC ATC CCC ACT GCG ACA ATA CGA CGC CAC GTC GAT TTG CTC GTT	96
Ala Ser Ile Pro Thr Ala Thr Ile Arg Arg His Val Asp Leu Leu Val	
20 25 30	

GGG GCG GCT GCC TTC TGC TCC GCT ATG TAC GTG GGG GAT CTC TGC GGA	144
Gly Ala Ala Ala Phe Cys Ser Ala Met Tyr Val Gly Asp Leu Cys Gly	
35 40 45	

TCT GTT TTC CTC GTC TCT CAG CTG TTC ACC TTC TCG CCT CGC CGA CAT	192
Ser Val Phe Leu Val Ser Gln Leu Phe Thr Phe Ser Pro Arg Arg His	
50 55 60	

CAG ACG GTA CAG GAC TGC AAT TGT TCA ATC TAT CCC GGC CAC GTA TCA	240
Gln Thr Val Gln Asp Cys Asn Cys Ser Ile Tyr Pro Gly His Val Ser	
65 70 75 80	
GGT CAC CGC ATG GCT TGG GAT ATG ATG ATG AAC TGG TCA CCT ACA GCA	288
Gly His Arg Met Ala Trp Asp Met Met Met Asn Trp Ser Pro Thr Ala	
85 90 95	
GCC CTA GTG GTA TCG CAG CTA CTC CGG ATC CCA CAA GCT GTC GTG GAC	336
Ala Leu Val Val Ser Gln Leu Leu Arg Ile Pro Gln Ala Val Val Asp	
100 105 110	
ATG GTG GCG GGG GCC CAC TGG GGA GTC CTG GCG GGC CTT GCC TAC TAT	384
Met Val Ala Gly Ala His Trp Gly Val Leu Ala Gly Leu Ala Tyr Tyr	
115 120 125	
TCC ATG GTG GGG AAC TGG GCT AAG GTC TTG GTT GTG ATG CTA CTC TTT	432
Ser Met Val Gly Asn Trp Ala Lys Val Leu Val Val Met Leu Leu Phe	
130 135 140	
GCC GGC GTT GAC GGG GAA CCT TAC ACG ACA GGG GGG ACA CAC GGC CGC	480
Ala Gly Val Asp Gly Glu Pro Tyr Thr Thr Gly Gly Thr His Gly Arg	
145 150 155 160	
GCC GCC CAC GGG CTT ACA TCC CTC TTC ACA CCT GGG CCG GCT CAG AAA	528
Ala Ala His Gly Leu Thr Ser Leu Phe Thr Pro Gly Pro Ala Gln Lys	
165 170 175	
ATC CAG CTT GTA AAC ACC AAC GGC AGC TGG CAC ATC AAC AGA ACT GCC	576
Ile Gln Leu Val Asn Thr Asn Gly Ser Trp His Ile Asn Arg Thr Ala	
180 185 190	
TTG AAC TGC AAT GAC TCC CTC CAA ACT GGG TTC CTT GCC GCG CTG TTC	624
Leu Asn Cys Asn Asp Ser Leu Gln Thr Gly Phe Leu Ala Ala Leu Phe	
195 200 205	

TAC ACG CAC AGG TTC AAT GCG TCC GGA TGC TCA GAG CGC ATG GCC AGC 672
Tyr Thr His Arg Phe Asn Ala Ser Gly Cys Ser Glu Arg Met Ala Ser
210 215 220

TGC CGC CCC ATT GAC CAG TTC GAT CAG GGG TGG GGT CCC ATC ACT TAT 720
Cys Arg Pro Ile Asp Gln Phe Asp Gln Gly Trp Gly Pro Ile Thr Tyr
225 230 235 240

AAT GAG TCC CAC GGC TTG GAC CAG AGG CCC TAT TGC TGG CAC TAC GCA 768
Asn Glu Ser His Gly Leu Asp Gln Arg Pro Tyr Cys Trp His Tyr Ala
245 250 255

CCT CAA CCG TGT GGT ATC GTG CCC GCG TTG CAG GTG TGT GGC CCA GTG 816
Pro Gln Pro Cys Gly Ile Val Pro Ala Leu Gln Val Cys Gly Pro Val
260 265 270

TAC TGT TTC ACT CCA AGC CCT GTT GTG GTG GGG ACG ACC GAT CGT TTC 864
Tyr Cys Phe Thr Pro Ser Pro Val Val Val Gly Thr Thr Asp Arg Phe
275 280 285

GGC GCC CCT ACG TAC AGA TGG GGT GAG AAT GAG ACG GAC GTG CTG CTT 912
Gly Ala Pro Thr Tyr Arg Trp Gly Glu Asn Glu Thr Asp Val Leu Leu
290 295 300

CTC AAC AAC ACG CGG CCG CCA CGG GGC AAC TGG TTC GGC TGT ACA TGG 960
Leu Asn Asn Thr Arg Pro Pro Arg Gly Asn Trp Phe Gly Cys Thr Trp
305 310 315 320

ATG AAT AGC ACC GGG TTC ACC AAG ACG TGT GGG GGC CCC CCG TGC AAC 1008
Met Asn Ser Thr Gly Phe Thr Lys Thr Cys Gly Gly Pro Pro Cys Asn
325 330 335

ATC GGG GGG GTC GGC AAC AAC ACT TTG ATC TGC CCC ACG GAC TGC TTC 1056
Ile Gly Gly Val Gly Asn Asn Thr Leu Ile Cys Pro Thr Asp Cys Phe
340 345 350

SEQ ID NO:20

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:2043 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cdna to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis
IMMEDIATE EXPERIMENTAL SOURCE:clone 156/92

FEATURES:

from 1 to 2043 bp portion of the PT-NANBH polyprotein

PROPERTIES:probably encodes viral non-structural proteins

TGG GAG GGC GTC TTC ACA GGC CTC ACC CAC GTG GAT GCC CAC TTC CTG	48
Trp Glu Gly Val Phe Thr Gly Leu Thr His Val Asp Ala His Phe Leu	
5 10 15	

TCC CAA ACA AAG CAG GCA GGA GAC AAC TTC CCC TAC CTG GTG GCG TAC	96
Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr Leu Val Ala Tyr	
20 25 30	

CAG GCT ACT GTG TGC GCT AGG GCC CAG GCC CCA CCT CCA TCA TGG GAT	144
Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro Pro Ser Trp Asp	
35 40 45	

CAA ATG TGG AAG TGT CTC ATA CGG CTA AAG CCT ACT CTG CGC GGG CCA	192
Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr Leu Arg Gly Pro	
50 55 60	

ACA CCC TTG CTG TAT AGG CTG GGA GCC GTC CAA AAC GAG GTC ACC CTC 240
 Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn Glu Val Thr Leu
 65 70 75 80

ACA CAC CCC ATA ACC AAA TTC ATC ATG GCA TGC ATG TCA GCC GAC CTG 288
 Thr His Pro Ile Thr Lys Phe Ile Met Ala Cys Met Ser Ala Asp Leu
 85 90 95

GAG GTC GTC ACG AGC ACC TGG GTG CTG GTG GGC GGG GTC CTT GCA GCT 336
 Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly Val Leu Ala Ala
 100 105 110

CTG GCT GCG TAT TGC TTG ACA ACA GGC AGC GTG GTC ATT GTG GGT AGG 384
 Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val Ile Val Gly Arg
 115 120 125

ATC ATC TTG TCC GGG CGG CCG GCT ATT GTT CCC GAC AGG GAA GTC CTC 432
 Ile Ile Leu Ser Gly Arg Pro Ala Ile Val Pro Asp Arg Glu Val Leu
 130 135 140

TAC CAG GAG TTC GAT GAG ATG GAA GAG TGC GCG TCG CAC CTC CCT TAC 480
 Tyr Gln Glu Phe Asp Glu Met Glu Glu Cys Ala Ser His Leu Pro Tyr
 145 150 155 160

ATC GAG CAG GGA ATG CAG CTC GCC GAG CAG TTC AAG CAA AAA GCG CTC 528
 Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys Gln Lys Ala Leu
 165 170 175

GGG TTG CTG CAG ACA GCC ACC AAG CAA GCG GAG GCC GCT GCT CCC GTG 576
 Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala Ala Ala Pro Val
 180 185 190

GTG GAG TCC AAG TGG CGA GCC CTT GAG ACC TTC TGG GCG AAA CAC ATG 624
 Val Glu Ser Lys Trp Arg Ala Leu Glu Thr Phe Trp Ala Lys His Met
 195 200 205

TGG AAC TTC ATC AGC GGG ATA CAG TAC TTA GCA GGC TTG TCC ACT CTG 672
 Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly Leu Ser Thr Leu
 210 215 220

CCT GGG AAT CCC GCG ATT GCA TCA CTG ATG GCG TTC ACA GCC TCT GTC 720
 Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe Thr Ala Ser Val
 225 230 235 240

ACT AGC CCG CTC ACC ACC CAA TCT ACC CTC CTG CTT AAC ATC CTG GGG 768
 Thr Ser Pro Leu Thr Thr Gln Ser Thr Leu Leu Leu Asn Ile Leu Gly
 245 250 255

GGA TGG GTA GCC GCC CAA CTC GCT CCC CCC AGT GCT GCT TCA GCT TTC 816
 Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala Ala Ser Ala Phe
 260 265 270

GTA GGC GCC GGC ATT GCT GGT GCG GCT GTT GGC AGC ATA GGC CTT GGG 864
 Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser Ile Gly Leu Gly
 275 280 285

AAG GTG CTT GTG GAC ATC TTG GCG GGC TAT GGA GCA GGA GTG GCA GGC 912
 Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala Gly Val Ala Gly
 290 295 300

GCG CTC GTG GCC TTT AAG GTC ATG AGC GGC GAA ATG CCC TCC ACC GAG 960
 Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met Pro Ser Thr Glu
 305 310 315 320

GAC CTG GTT AAC TTA CTC CCT GCC ATC CTC TCT CCT GGT GCC CTG GTC 1008
 Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro Gly Ala Leu Val
 325 330 335

GTC GGG GTC GTG TGC GCA GCG ATA CTG CGT CCG CAC GTG GGT CCA GGG 1056
 Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His Val Gly Pro Gly
 340 345 350

GAG GGG GCT GTG CAG TGG ATG AAC CGG CTG ATA GCG TTC GCC TCG CGG 1104
Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala Phe Ala Ser Arg
355 360 365

GGT AAC CAT GTT TCC CCC ACG CAC TAT GTG CCA GAG AGC GAC GCC GCA 1152
Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu Ser Asp Ala Ala
370 375 380

GCA CGT GTC ACT CAG ATC CTC TCC GAC CTT ACT ATC ACC CAA CTG TTG 1200
Ala Arg Val Thr Gln Ile Leu Ser Asp Leu Thr Ile Thr Gln Leu Leu
385 390 395 400

AAG AGG CTC CAC CAG TGG ATT AAC GAG GAC TGC TCC ACG CCC TGC TCC 1248
Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser Thr Pro Cys Ser
405 410 415

GGC TCG TGG CTA AGG GAT GTT TGG GAC TGG ATA TGC ACA GTT TTG GCT 1296
Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu Ala
420 425 430

GAC TTC AAG ACC TGG CTC CAG TCC AAG CTC CTG CCG CGA TTA CCG GGA 1344
Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro Gly
435 440 445

GTC CCC TTT TTC TCA TGC CAA CGT GGG TAC AAG GGG GTC TGG CGG GGA 1392
Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg Gly
450 455 460

GAC GGC ATC ATG CAG ACC ACC TGC TCA TGT GGA GCA CAG ATC ACC GGA 1440
Asp Gly Ile Met Gln Thr Thr Cys Ser Cys Gly Ala Gln Ile Thr Gly
465 470 475 480

CAT GTC AAA AAC GGT TCC ATG AGG ATC GTT GGG CCT AAG ACC TGT AGT 1488
His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Lys Thr Cys Ser
485 490 495

ACA GCA GAG ACG GCT AAG CGC AGG CTG GCC AGG GGG TCT CCC CCC TGC 1920
Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro Ser
625 630 635 640

TTG GCC AGC TCT TCA GCT AGC CAG TTG TCT GCG CCT TCC TCG AAG GCG 1968
Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Ser Lys Ala
645 650 655

ACA TAC ATT ACC CAA AAT GAC TTC CCA GAC GCT GAC CTC ATC GAG GCC 2016
Thr Tyr Ile Thr Gln Asn Asp Phe Pro Asp Ala Asp Leu Ile Glu Ala
660 665 670

AAC CTC CTG TGG CGG CAT GAG ATG GGC 2043
Asn Leu Leu Trp Arg His Glu Met Gly
675 680

003760" 03649900

SEQ ID NO:21

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:2116 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:contig formed by cDNA clones from 5' end
of the genome

FEATURES:

from 308 to 2116 bp start of the PT-NANBH polyprotein

PROPERTIES:viral structural and non-structural proteins

GATCACTCCC CTGTGAGGAA CTACTGTCTT CACGCAGAAA GCGTCTAGCC ATGGCGTTAG 60
TATGAGTGTC GTGCAGCCTC CAGGACCCCC CCTCCCGGGA GAGCCATAGT GGTCTGCGGA 120
ACCGGTGAGT ACACCGGAAT TGCCAGGACG ACCGGGTCCT TTCTTGATT AACCCGCTCA 180
ATGCCTGGAG ATTTGGGCGT GCGCCGCAA GACTGCTAGC CGAGTAGTGT TGGGTCGCGA 240
AAGGCCTTGT GGTACTGCCT GATAGGGTGC TTGCGAGTGC CCCGGGAGGT CTCGTAGACC 300
GTGCACC ATG AGC ACG AAT CCT AAA CCT CAA AGA AAA ACC AAA CGT AAC 349

Met Ser Thr Asn Pro Lys Pro Gln Arg Lys Thr Lys Arg Asn

5

10

ACC AAC CGC CGC CCA CAG GAC GTC AAG TTC CCG GGC GGT GGT CAG ATC 397
Thr Asn Pro Arg Pro Gln Asp Val Lys Phe Pro Gly Gly Gly Gln Ile
15 20 25 30

GTT GGT GGA GTT TAC CTG TTG CCG CGC AGG GGC CCC AGG TTG GGT GTG 445
Val Gly Gly Val Tyr Leu Leu Pro Arg Arg Gly Pro Arg Leu Gly Val
35 40 45

CAA CCT ATC CCC AAG GCT CGC CAG CCC GAG GGC AGG GCC TGG GCT CAG 541
Gln Pro Ile Pro Lys Ala Arg Gln Pro Glu Gly Arg Ala Trp Ala Gln
65 70 75

CCC GGG TAC CCT TGG CCC CTC TAT GGC AAC GAG GGC ATG GGG TGG GCA 589
Pro Gly Tyr Pro Trp Pro Leu Tyr Gly Asn Glu Gly Met Gly Trp Ala
80 85 90

GGA TGG CTC CTG TCA CCC CGT GGC TCC CGG CCT AGT TGG GGC CCC ACT 637
Gly Trp Leu Leu Ser Pro Arg Gly Ser Arg Pro Ser Trp Gly Pro Thr
100 105 110 115

GAC CCC CGG CGT AGG TCG CGT AAT TTG GGT AAA GTC ATC GAT ACC CTC 685
Asp Pro Arg Arg Arg Ser Arg Asn Leu Gly Lys Val Ile Asp Thr Leu
120 125 130

ACA TGC GGC TTC GCC GAC CTC ATG GGG TAC ATT CCG CTC GTC GGC GCT 733
Thr Cys Gly Phe Ala Asp Leu Met Gly Tyr Ile Pro Leu Val Gly Ala
135 140 145

CCC TTA GGG GGC GCT GCC AGG GCC CTG GCG CAT GGC GTC CGG GTT CTG 781
Pro Leu Gly Gly Ala Ala Arg Ala Leu Ala His Gly Val Arg Val Leu
150 155 160

GAG GAC GGC GTG AAC TAT GCA ACA GGG AAT TTA CCC GGT TGC TCT TTC 829
Glu Asp Gly Val Asn Tyr Ala Thr Gly Asn Leu Pro Gly Cys Ser Phe
165 170 175

TCT ATC TTC CTC TTG GCT TTG CTG TCC TGT TTG ACC ATT CCA GCT TCC 877
Ser Ile Phe Leu Leu Ala Leu Leu Ser Cys Leu Thr Ile Pro Ala Ser
180 185 190 195

GCT TAT GAA GTG CGC AAC GTG TCC GGG ATC TAC CAT GTC ACG AAC GAT 925
 Ala Tyr Glu Val Arg Asn Val Ser Gly Ile Tyr His Val Thr Asn Asp
 200 205 210

TGC TCC AAC TCA AGC ATC GTG TAC GAG ACA GCG GAC ATG ATC ATG CAC 973
 Cys Ser Asn Ser Ser Ile Val Tyr Glu Thr Ala Asp Met Ile Met His
 215 220 225

ACC CCC GGG TGT GTG CCC TGT GTC CGG GAG GGT AAT TCC TCC CGC TGC 1021
 Thr Pro Gly Cys Val Pro Cys Val Arg Glu Gly Asn Ser Ser Arg Cys
 230 235 240

TGG GTA GCG CTC ACT CCC ACG CTC GCG GCC AAG GAC GCC AGC ATC CCC 1069
 Trp Val Ala Leu Thr Pro Thr Leu Ala Ala Lys Asp Ala Ser Ile Pro
 245 250 255

ACT GCG ACA ATA CGA CGC CAC GTC GAT TTG CTC GTT GGG GCG GCT GCC 1117
 Thr Ala Thr Ile Arg Arg His Val Asp Leu Leu Val Gly Ala Ala Ala
 260 265 270 275

TTC TGC TCC GCT ATG TAC GTG GGG GAT CTC TGC GGA TCT GTT TTC CTC 1165
 Phe Cys Ser Ala Met Tyr Val Gly Asp Leu Cys Gly Ser Val Phe Leu
 280 285 290

GTC TCT CAG CTG TTC ACC TTC TCG CCT CGC CGA CAT CAG ACG GTA CAG 1213
 Val Ser Gln Leu Phe Thr Phe Ser Pro Arg Arg His Gln Thr Val Gln
 295 300 305

GAC TGC AAT TGT TCA ATC TAT CCC GGC CAC GTA TCA GGT CAC CGC ATG 1261
 Asp Cys Asn Cys Ser Ile Tyr Pro Gly His Val Ser Gly His Arg Met
 310 315 320

GCT TGG GAT ATG ATG ATG AAC TGG TCA CCT ACA GCA GCC CTA GTG GTA 1309
 Ala Trp Asp Met Met Met Asn Trp Ser Pro Thr Ala Ala Leu Val Val
 325 330 335

GAC CAG TTC GAT CAG GGG TGG GGT CCC ATC ACT TAT AAT GAG TCC CAC 1741
Asp Gln Phe Asp Gln Gly Trp Gly Pro Ile Thr Tyr Asn Glu Ser His
470 475 480

GGC TTG GAC CAG AGG CCC TAT TGC TGG CAC TAC GCA CCT CAA CCG TGT 1789
Gly Leu Asp Gln Arg Pro Tyr Cys Trp His Tyr Ala Pro Gln Pro Cys
485 490 495

GGT ATC GTG CCC GCG TTG CAG GTG TGT GGC CCA GTG TAC TGT TTC ACT 1837
Gly Ile Val Pro Ala Leu Gln Val Cys Gly Pro Val Tyr Cys Phe Thr
500 505 510 515

CCA AGC CCT GTT GTG GTG GGG ACG ACC GAT CGT TTC GGC GCC CCT ACG 1885
Pro Ser Pro Val Val Val Gly Thr Thr Asp Arg Phe Gly Ala Pro Thr
520 525 530

TAC AGA TGG GGT GAG AAT GAG ACG GAC GTG CTG CTT CTC AAC AAC ACG 1933
Tyr Arg Trp Gly Glu Asn Glu Thr Asp Val Leu Leu Leu Asn Asn Thr
535 540 545

CGG CCG CCA CGG GGC AAC TGG TTC GGC TGT ACA TGG ATG AAT AGC ACC 1981
Arg Pro Pro Arg Gly Asn Trp Phe Gly Cys Thr Trp Met Asn Ser Thr
550 555 560

GGG TTC ACC AAG ACG TGT GGG GGC CCC CCG TGC AAC ATC GGG GGG GTC 2029
Gly Phe Thr Lys Thr Cys Gly Gly Pro Pro Cys Asn Ile Gly Gly Val
565 570 575

GGC AAC AAC ACT TTG ATC TGC CCC ACG GAC TGC TTC CGG AAG CAT CCC 2077
Gly Asn Asn Thr Leu Ile Cys Pro Thr Asp Cys Phe Arg Lys His Pro
580 585 590 595

GAG GCC ACT TAC ACC AAA TGC GGT TCG GGG CCT TGG TTG 2116
Glu Ala Thr Tyr Thr Lys Cys Gly Ser Gly Pro Trp Leu
600 605

SEQ ID NO:22

SEQUENCE TYPE:Nucleotide with corresponding protein

SEQUENCE LENGTH:3750 BASE PAIRS

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:cDNA to genomic RNA

ORIGINAL SOURCE ORGANISM:human; serum infectious for
post-transfusional non-A, non-B hepatitis

IMMEDIATE EXPERIMENTAL SOURCE:contig formed by cDNA clones from 3' end
of the genome

FEATURES:

from 1 to 3750 bp portion of the PT-NANBH polyprotein

PROPERTIES:viral non-structural proteins

TGG GAG GGC GTC TTC ACA GGC CTC ACC CAC GTG GAT GCC CAC TTC CTG	48
Trp Glu Gly Val Phe Thr Gly Leu Thr His Val Asp Ala His Phe Leu	
5 10 15	
TCC CAA ACA AAG CAG GCA GGA GAC AAC TTC CCC TAC CTG GTG GCG TAC	96
Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr Leu Val Ala Tyr	
20 25 30	
CAG GCT ACT GTG TGC GCT AGG GCC CAG GCC CCA CCT CCA TCA TGG GAT	144
Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro Pro Ser Trp Asp	
35 40 45	
CAA ATG TGG AAG TGT CTC ATA CGG CTA AAG CCT ACT CTG CGC GGG CCA	192
Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr Leu Arg Gly Pro	
50 55 60	

THE NEW YORK PUBLIC LIBRARY

TGG AAC TTC ATC AGC GGG ATA CAG TAC TTA GCA GGC TTG TCC ACT CTG 672
 Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly Leu Ser Thr Leu
 210 215 220

CCT GGG AAT CCC GCG ATT GCA TCA CTG ATG GCG TTC ACA GCC TCT GTC 720
 Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe Thr Ala Ser Val
 225 230 235 240

ACT AGC CCG CTC ACC ACC CAA TCT ACC CTC CTG CTT AAC ATC CTG GGG 768
 Thr Ser Pro Leu Thr Thr Gln Ser Thr Leu Leu Leu Asn Ile Leu Gly
 245 250 255

GGA TGG GTA GCC GCC CAA CTC GCT CCC CCC AGT GCT GCT TCA GCT TTC 816
 Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala Ala Ser Ala Phe
 260 265 270

GTA GGC GCC GGC ATT GCT GGT GCG GCT GTT GGC AGC ATA GGC CTT GGG 864
 Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser Ile Gly Leu Gly
 275 280 285

AAG GTG CTT GTG GAC ATC TTG GCG GGC TAT GGA GCA GGA GTG GCA GGC 912
 Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala Gly Val Ala Gly
 290 295 300

GCG CTC GTG GCC TTT AAG GTC ATG AGC GGC GAA ATG CCC TCC ACC GAG 960
 Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met Pro Ser Thr Glu
 305 310 315 320

GAC CTG GTT AAC TTA CTC CCT GCC ATC CTC TCT CCT GGT GCC CTG GTC 1008
 Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro Gly Ala Leu Val
 325 330 335

GTC GGG GTC GTG TGC GCA GCG ATA CTG CGT CGG CAC GTG GGT CCA GGG 1056
 Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His Val Gly Pro Gly
 340 345 350

CAT GTC AAA AAC GGT TCC ATG AGG ATC GTT GGG CCT AAG ACC TGT AGT 1488
His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Lys Thr Cys Ser
485 490 495

ACA GCA GAG ACG GCT AAG CGC AGG CTG GCC AGG GGG TCT CCC CCC TCC 1920
Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro Ser
625 630 635 640

CCT CCA CGG AGG AAG AGG ACA GTT GTT CTG ACA GAA TCC ACC GTG TCT 2352
Pro Pro Arg Arg Lys Arg Thr Val Val Leu Thr Glu Ser Thr Val Ser
770 775 780

TCT GCC CTG GCG GAG CTT GCC ACA AAG GCT TTC GGT AGC TCC GAA CCG 2400
 Ser Ala Leu Ala Glu Leu Ala Thr Lys Ala Phe Gly Ser Ser Glu Pro
 785 790 795 800

TCG GCC GTC GAC AGC GGC ACG GCA ACC GCC CCT CCT GAC CAA CCC TCC 2448
 Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Pro Pro Asp Gln Pro Ser
 805 810 815

GAC GAC GGC GGA GCA GGA TCT GAC GTT GAG TCG TAT TCC TCC ATG CCC 2496
 Asp Asp Gly Gly Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met Pro
 820 825 830

CCC CTT GAG GGG GAG CCG GGG GAC CCC GAT CTC AGC GAC GGG TCT TGG 2544
 Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser Trp
 835 840 845

TCT ACC GTG AGT GAG GAG GCC GGT GAG GAC GTC GTC TGC TGC TCG ATG 2592
 Ser Thr Val Ser Glu Glu Ala Gly Glu Asp Val Val Cys Cys Ser Met
 850 855 860

TCC TAC ACA TGG ACA GGC GCT CTG ATC ACG CCA TGC GCT GCG GAG GAA 2640
 Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys Ala Ala Glu Glu
 865 870 875 880

AGC AAG CTG CCC ATC AAC GCG TTG AGC AAC TCT TTG CTG CGT CAC CAC 2688
 Ser Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu Leu Arg His His
 885 890 895

AAC ATG GTC TAC GCT ACC ACA TCC CGC AGC GCA AGC CAG CGG CAG AAG 2736
 Asn Met Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser Gln Arg Gln Lys
 900 905 910

AAG GTC ACC TTT GAC AGA CTG CAA ATC CTG GAC GAT CAC TAC CAG GAC 2784
 Lys Val Thr Phe Asp Arg Leu Gln Ile Leu Asp Asp His Tyr Gln Asp
 915 920 925

TAT TCT CCT GGA CAG CGG GTC GAG TTC CTG GTG AAC GCC TGG AAA TCA 3216
Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn Ala Trp Lys Ser
1060 1065 1070

TTC ACG GAG GCT ATG ACT AGG TAC TCT GCC CCC CCC GGG GAC CCG CCC 3648
Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro Gly Asp Pro Pro
1205 1210 1215

TCG GTC GCG CAC GAT GCA TCT GGC AAA AGG GTA TAC TAC CTC ACC CGT 3744
Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr Tyr Leu Thr Arg
1235 1240 1245

GAC CCG	3750
Asp Pro	
1250	

MJS/AC/12th December 1990

SEQ ID NO:23
SEQUENCE TYPE:Nucleotide
SEQUENCE LENGTH:23 BASES

STRANDEDNESS:single
TOPOLOGY:linear
MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:baculovirus Autographa californica Nuclear
Polyhedrosis virus (AcNPV)
IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d24

FEATURES:
from 1 to 23 bases homologous to portion of AcNPV polyhedrin gene
downstream of the BamH1 cloning site in pAc360 and similar vectors

PROPERTIES:primes DNA synthesis from baculovirus transfer vector
sequences which flank DNA inserted at the BamH1 site.

CGGGTTTAAC ATTACGGATT TCC

23

SEQ ID NO:24

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:31 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:baculovirus Autographa californica Nuclear Polyhedrosis virus (AcNPV)

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d126

FEATURES:

from 1 to 31 bases homologous to the upstream junction sequences produced when cDNA amplified by d75 (SEQ ID 5) is cloned into the BamH1 cloning site in pAc360 and similar vectors; mismatches at bases 13 and 14 introduce a Pst1 site

from 1 to 10 bases homologous to region of BamH1 site in pAc360 and similar vectors

from 4 to 9 bases BamH1 site

from 12 to 17 bases Pst1 site

PROPERTIES:primes DNA synthesis at the junction of baculovirus transfer vector sequences and sequences previously amplified by oligo d75; introduces a Pst1 recognition site for subsequent cloning work

TAAGGATCCC CCT GCA GTA TCG GCG GAA TTC

31

Ser Ala Val Ser Ala Glu Phe

5

SEQ ID NO:25

SEQUENCE TYPE:Nucleotide

SEQUENCE LENGTH:45 BASES

STRANDEDNESS:single

TOPOLOGY:linear

MOLECULE TYPE:synthetic DNA

ORIGINAL SOURCE ORGANISM:N/A

IMMEDIATE EXPERIMENTAL SOURCE:Oligonucleotide synthesiser; oligo d132

FEATURES:

from 5 to 10 bases PstI recognition site

from 13 to 27 bases linker coding for five Lys residues

from 28 to 45 bases homologous to bases 4 to 21 of BR11 (SEQ ID 7)

PROPERTIES:primes DNA synthesis at the 5' end of BR11 and introduces a synthetic sequence which codes for five lysines as well as a PstI recognition site for subsequent cloning work

CTGCCTGCA GTA AAG AAG AAG AAG AAG AAA ACC AAA CGT AAC ACC A 45

Val Lys Lys Lys Lys Lys Lys Thr Lys Arg Asn Leu

5

10